



Catchbox is the world's first soft wireless microphone that you can throw into an audience to kickstart a discussion. Catchbox improves lectures, conferences, and group work by encouraging audiences and groups to share ideas and discuss problems.

www.getcatchbox.com

Contact Information info@getcatchbox.com / pyry@getcatchbox.com Adress: Betonimiehenkuja 3D, 02150 Espoo, Finland +358400435459

Engage Your Audience!

Getting your audiences involved can be difficult. Normal microphones are often slow and cumbersome to pass around and can quickly kill the flow. That's why we created the Catchbox. The colorful box is intuitive to use and having it thrown around engages audience members and breaks the ice. It gets people to talk and share ideas, and can be used in different types of events from conferences to lectures.

Catchbox in use



Catchbox in Education

Make lectures fun and engaging by getting everyone actively involved in the discussion.



Catchbox in Meetings

Hosting a company all-hands or a workshop? Catchbox breaks the ice and gets employees talking.



Catchbox in Events

Asking guestions from the audience is easy and fun, even in crowded and packed settings.

"It makes for a better, slicker and more audible audience engagement "



"Play becomes central to the tone of the meeting and more people engage in the conversation.



Some of our happy customers





































Ground Breaking Design!

The Catchbox is a combination of innovative product design and supreme audio technology. With a microphone element suitable for professionals and the innovative AutoMute technology, Catchbox sets new standards for the audience microphone. The ultra-light materials and the technical fabric create a product that is durable and easy to use. The unique locking mechanism means the covers are easy to replace and change. Catchbox comes in three basic colors: Blue, Orange and Green.

Active AutoMute

The Active Automute senses the motion of the device and smartly switches off the audio when the Catchbox is thrown caught or dropped.



Light & Soft

The Catchbox is made from a combination of durable foams and technical fabric, making it extremely light for its size as well as durable.



Dirt Repellent

The Catchbox cover is specially treated with a teflon coating that repels dirt and avoids stains. The coating is also anti-bacterial.



Magnetic Locking


A magnetic mechanism locks the microphone in to the cover. With a simple twist and pull motion, one can easily access the electronics and batteries inside.



Two Different Products



Catchbox 2.4
Wireless Microphone System



Receiver		
Weight	270g / 9.5oz	
Dimensions (without antennas)	13 x 12.5 x 3.5 cm / 5.1 x 5 x 1.4 in	
Power supply	5 VDC	
Audio output	6.3mm / ¹ / ₄ in jack	

Transmitter (with Cover)		
Weight (including batteries)	365g / 12.8oz	
Dimensions	18 x 18 x 18 cm / 7 x 7 x 7 in	
Microphone Element	Electret condenser	
Microphone Shape	Omni Directional	
Battery Type	2 x AA (LR6) alkaline	
Battery Life	>10 hours (with alkaline batteries)	
Radio Power Output	10mW	



Beltpack Modification

Inner Capsule (with Cover) Specifications		
Weight without 3rd party transmitter	280g/9.9oz	
Dimension	18 x 18 x 18 cm / 7 x 7 x 7 in	
Battery Type (of Muting Circuit)	1 x AA (LR6) alkaline	
Battery Life (of Muting Circuit)	>20 hours (with alkaline batteries)	
Microphone Element	Electret condenser	
Microphone Pattern	Omni Directional	
Additional System Latency	0	
Adapter Cables provided	4 pin mini XLR (Shure) 3.5mm jack (Sennheiser) 3 pin mini XLR (AKG)	

Compatible 3rd Party Transmitters (pre-tested for compliance)		
Shure	ULX-D1 QLX-D1 UR1M	
Sennheiser	SK 500 (Evolution Wireless) SK 300 (Evolution Wireless) SK 100 (Evolution Wireless)	
AKG	DPT 700 PT 470 PT 420	

*NOTE: Catchbox Pro Module requires a third party transmitter and receiver to work and they are not included in the package.

www.getcatchbox.com

Contact Information info@thecatchbox.com / pyry@thecatchbox.com Adress: Betonimiehenkuja 3D, 02150 Espoo, Finland +358400435459